Dear Customer

Subject: Latest revision to DTEx Certificate No. Baseefa18ATEX0152X

Please find attached the latest revision to the DT Series ATEX Certificate.

The latest revision of this certificate automatically supersedes any previous certificate Issued.

Sincerely,

Ruth Desmond

Sales Operations Manager Entel UK Ltd.



Issued 7 May 2020 Page 1 of 7

1 EU - TYPE EXAMINATION CERTIFICATE

2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 2014/34/EU

3 EU - Type Examination Baseefa18ATEX0152X – Issue 3

Certificate Number:

4 Product: Handheld Radio Transceiver DTEx Series

5 Manufacturer: Entel UK Limited

6 Address: 320 Centennial Avenue, Centennial Park, Elstree, Hertfordshire,

WD6 3TJ

- This re-issued certificate extends EU Type Examination Certificate No. Baseefa18ATEX0152X to apply to product designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.
- 8 SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. See Certificate History

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN IEC 60079-0:2018 EN 60079-11:2012

except in respect of those requirements listed at item 18 of the Schedule.

- 10 If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.
- This EU TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.
- 12 The marking of the product shall include the following:

See schedule

SGS Baseefa Customer Reference No. 7222

Project File No. 19/0289

This document is issued by the Company subject to its General Conditions for Certification Services accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail baseefa@sgs.com web site www.sgs.co.uk/sgsbaseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN

R S SINCLAIR TECHNICAL MANAGER On behalf of SGS Baseefa Limited

Issue 1



Issued 7 May 2020 Page 2 of 7

Schedule Schedule

Certificate Number Baseefa18ATEX0152X – Issue 3

15 Description of Product

14

The Handheld Radio Transceiver DTEx Series is comprised of a range of hand held, battery powered, portable, two-way radios. Each model has a plastic enclosure containing printed circuit boards and, optionally, a keypad and an OLED (organic light emitting diode) display. A transmit/receive antenna is mounted externally by a screw connection. The battery supply is contained in a separate pack which is attached to the main enclosure by plastic clips and secured by a locking screw. The battery supply comprises two, rechargeable, lithium ion cells connected in series. The battery pack maintains intrinsic safety when separated, permitting removal in an explosive atmosphere. The battery pack shall not be recharged in an explosive atmosphere.

The only external user connections are to the battery charging terminals for the charger; the side connector for the audio accessories; and the USB connector for the USB Programming Lead.

The following is a list of the UHF model numbers and associated certification coding covered by this certificate:

| DT882, DT885 | $\textcircled{5}$ II 2G Ex ib IIA T4 Gb (-20°C \leq Ta \leq +40°C) |
|---|--|
| DT882FF, DT882M, DT885FF, DT885M | $\textcircled{8}$ II 2G Ex ib IIB T4 Gb (-20°C \leq Ta \leq +40°C) |
| DT952, DT953, DT981, DT982, DT985, DT982M, DT982FF, DT985FF, DT985M | $\textcircled{8}$ II 2G Ex ib IIC T4 Gb (-20°C \leq Ta \leq +40°C) |

The following is a list of the VHF model numbers and associated certification coding covered by this certificate:

| DT822, DT825, | $\textcircled{8}$ II 2G Ex ib IIA T4 Gb (-20°C \leq Ta \leq +40°C) |
|--|---|
| DT842, DT842FF, DT844, DT844FF | $\textcircled{8}$ II 2G Ex ib IIB T4 Gb (-20°C \leq Ta \leq +40°C) |
| DT922, DT925, DT942, DT942FF, DT944, DT944FF | $\textcircled{\&}$ II 2G Ex ib IIC T4 Gb (-20°C \leq Ta \leq +40°C) |

The following electrical accessories are certified and approved for use with the DTEx Series Portable radios:

| Accessory | Description |
|------------|--|
| CMP/DT9 | Submersible Speaker/Microphone |
| CHP950D | Ear defender headset |
| CHP950HD | Double sided ear defender |
| CHP950HS | Single sided ear defender |
| PTT-E/DT9 | Push To Talk (PTT) switch for CHP series |
| PTT-C/DT9 | Push To Talk (PTT) switch for CXR series |
| CXR5 | Bone conductive skull microphone |
| CXR16 | Bone conductive throat microphone |
| CPROG-DTEx | USB programming box |
| CXR5/DT9 | CXR5 and PTT-C/DT9 |
| CXR16/DT9 | CXR16 and PTT-C/DT9 |
| CHPD/DT9 | CHP950D and PTT-E/DT9 |
| CHPHD/DT9 | CHP950HD and PTT-E/DT9 |
| CHPHS/DT9 | CHP950HS and PTT-E/DT9 |
| EA12/DT9 | Earpiece D-shape, microphone & PTT |

BAS-CERT-045 Issue 1



Issued 7 May 2020 Page 3 of 7

Accessory Interface Terminal Parameters

The side connector matrix of connections is for use in the hazardous area and contains two Intrinsically safe circuits that have a common 0V connection but must be kept separate in connected accessories. If not fully isolated in the accessory, the two circuits must be isolated except for a minimum resistance between them of no less than 1089Ω including tolerances.

| 000 | Row A, i.e.: A1, A2, A3 |
|-----|-------------------------|
| 000 | Row B, i.e.: B1, B2, B3 |
| 000 | Row C, i.e.: C1, C2, C3 |
| 000 | Row D, i.e.: D1, D2, D3 |
| 008 | Row E, i.e.: E1, E2, E3 |

Accessory interface (C1, C2, C3, D1, D2, D3, E1, E2 & E3 w.r.t. A1, B1, B2 & B3):

```
\label{eq:Uo} \begin{split} &\text{Uo} = 8.4 \text{V peak; } 7.6 \text{V nominal} \\ &\text{Io} = 1.225 \text{A peak; } 107 \text{mA steady state} \\ &\text{Po} = 0.735 \text{W} \\ &\text{Ci} = 5.39 \mu \text{F} \\ &\text{Li} = \text{zero} \\ &\text{Co} = 1.0 \mu \text{F} \\ &\text{Lo} = 15 \mu \text{H} \end{split}
```

Audio PA interface (A2 & A3 w.r.t. A1):

```
Uo = 8.4V \ peak; \ 7.6V \ nominal Io = 1.26A \ peak; \ 340mA \ steady \ state Po = 1.812W Ci = 4.83 \mu F Li = zero Co = 1.0 \mu F
```

Lo = $150\mu H$ (maximum inductance of a loud-speaker with a minimum cold resistance of 14Ω)

16 Report Number

See Certificate History

17 Specific Conditions of Use

- 1. Only suitably certified accessories may be connected to the micro-USB and Accessory connectors located under the side connector cover.
- 2. Accessories must keep the two Intrinsically Safe circuits "Accessory Interface" and "Audio PA Interface" isolated from each other. If not fully isolated in the accessory, the two circuits must be isolated except for a minimum resistance between them of no less than 1089Ω including tolerances.

18 Essential Health and Safety Requirements

In addition to the Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9, the following are considered relevant to this product, and conformity is demonstrated in the report:

| Clause | Subject |
|--------|--|
| 1.2.7 | LVD type requirements |
| 1.2.8 | Overloading of equipment (protection relays, etc.) |
| 1.4.1 | External effects |
| 1.4.2 | Aggressive substances, etc. |

19 Drawings and Documents

New drawings submitted for this issue of certificate:

BAS-CERT-045 Issue 1



Issued 7 May 2020 Page 4 of 7

| Number | Sheet | Issue | Date | Description | |
|---------------------|---------|-------|---------------------------|-----------------------------------|----------------------|
| EDN001 | 1 of 1 | 3 | 28/11/2019 | DTEX Main and OLED PCB asser | nbly |
| EDN002 | 1 of 1 | 2 | 28/11/2019 | DTEX Cabinet OLED area encaps | ulation |
| EDN003 | 1 of 1 | 3 | 28/11/2019 | DTEX Radio general assembly | |
| EDN004 | 1 of 1 | 6 | 13/Dec/2019 | DTEX Labels | |
| EDN007 | 1 of 1 | 2 | 13/Dec/2019 | Battery Pack Labels | |
| EDN008 | 1 of 1 | 2 | 28/11/2019 | VHF Main and OLED PCB assemb | bly |
| EDN009 | 1 of 1 | 1 | 28/11/2019 | DTEX Radio general assembly (no | on-display) |
| EDN011 | 1 of 1 | 2 | 13/Dec/2019 | CMP/DTx Labels | |
| EDN040 | 1 of 1 | 1.0 | 12/DEC/2019 | General Assembly (EA12/DT) | |
| EDN041 | 1 of 1 | 1.0 | 12/DEC/2019 | Cable Details (EA12/DT) | |
| EDN042 | 1 of 1 | 2 | 13/Dec2019 | Tag Labels (EA12/DT9) | |
| EDN100 | 1 of 1 | 3.0 | 26/06/2019 | DTEX Radio USB Cable (Schema | tic) |
| EDN103 | 1 to 16 | 4.13 | 30_01_2020 | DT Main Board Schematics | (UHF) |
| EDN104 | 1 to 3 | 4.13 | 30-Jan-2020 | DT Main BoM | (UHF) |
| EDN116 | 1 of 1 | 1.2 | 29/11/2019 | DT Highway Flexi PCB Schematic | es |
| EDN117 | 1 to 7 | 3.2 | 28/11/2019 | DT Highway Flex | |
| EDN120 | 1 to 5 | 1.5 | 6 th Mar 2020 | DT Accessory Interface Specificat | ion |
| EDN129 | 1 to 7 | 3.0 | 26/06/2019 | DT USB Cable PCB (Artwork) | |
| EDN130 | 1 to 2 | 3.0 | 24/10/2019 | PTT951C-DT Schematic | |
| EDN131 | 1 to 2 | 3.0 | 24/10/2019 | PTT950/DT Schematic | |
| EDN132 | 1 of 1 | 3.0 | 24/10/2019 | PTT951C/DT BOM | |
| EDN133 | 1 of 1 | 3.0 | 24/10/2019 | PTT950/DT BOM | |
| EDN134 | 1 to 7 | 3.0 | 24/10/2019 | PTT/DT PCB (Artwork) | |
| EDN135 | 1 of 1 | 1.0 | 14/10/2019 | EA12 PTT Schematic | |
| EDN136 | 1 to 7 | 2.0 | 13 th Dec 2019 | EA12 PTT PCB (Artwork) | |
| EDN137 | 1 of 1 | 1.0 | 24/10/2019 | EA12 PTT BOM | |
| EDN150 | 1 to 15 | 2.2 | 25/11/2019 | DT VHF Main Board | |
| EDN151 | 1 to 16 | 2.5 | 30_01_2020 | DT Main Board VHF Schematics | |
| EDN152 | 1 to 4 | 2.5 | 30-Jan-20 | DTx25 Radio Main Board RnD Bo | oM (Display Variant) |
| ATEX-TAG-LAB-05 | 2 of 2 | 06 | 15 Oct 19 | Accessory Tag Labels | |
| Ex-CNB950E V2-01*1 | 1 of 1 | 03 | 07 Mar 2017 | CNB950E V2 Block Diagram | |
| Ex-CNB950E V2-02 *1 | 1 of 1 | 02 | 07 Mar 2017 | CNB950E V2 General Assembly | |
| Ex-CNB950E V2-04 *1 | 1 of 1 | 02 | 07 Mar 2017 | CNB950E V2 Battery Pack Interna | al Assembly |
| Ex-CNB950E V2-09 *1 | 1 of 1 | 3 | 25-11-2016 | CNB950E V2 Limiter PCB (Scher | matic) |
| Ex-CNB950E V2-10 *1 | 1 to 3 | 03 | 07 Mar 2017 | CNB950E V2 Limiter PCB (Artwo | ork) |
| Ex-CNB950E V2-11 *1 | 1 of 1 | 3 | 04/12/2016 | CNB950E V2 Charge Control Sch | ematic |



Issued 7 May 2020 Page 5 of 7

| Ex-CNB950E V2-12 *1 | 1 to 4 | 02 | 07 Mar 2017 | CNB950E V2 Charging Control PCB (Artwork) |
|---|------------------|-----|-------------|--|
| Ex-CNB950E V2-14 *1 | 1 to 2 | 3.0 | 07 Mar 2017 | CNB950E V2 Charging Control Board BOM |
| Ex-CNB950E V2-15 *1 | 1 of 1 | 3.0 | 07 Mar 2017 | CNB950E V2 Limiter PCB BOM |
| Ex-CNB950E V2-16 *1 | 1 to 3 5 to 7 | 02 | 07 Mar 2017 | CNB950E V2 Battery Pack Charging PCB Layer Separations |
| Ex-CNB950E V2-17 *1 | 1 to 4 | 02 | 07 Mar 2017 | CNB950E V2 Limiter PCB Layer Separations |
| These drawings are also associated and held with IECEx BAS 18.0094X | | | | |

Current drawings which remain unaffected by this issue:

| Number | Sheet | Issue | Date | Description |
|--------|---------|-------|------------|--|
| | | | | • |
| EDN005 | 1 of 1 | 1.0 | 02/01/2019 | DTEX Cabinet main |
| EDN006 | 1 of 1 | 2.0 | 09/04/2019 | Projected Areas |
| EDN010 | 1 to 2 | 3 | 31/05/2019 | CMP/DTx General Assembly |
| EDN011 | 1 of 1 | 1 | 21/05/2019 | CMP/DTx Labels |
| EDN012 | 1 of 1 | 2 | 31/05/2019 | CMP/DTx Projected Areas |
| EDN013 | 1 of 1 | 2 | 31/05/2019 | CMP/DTx Cable Details |
| EDN020 | 1 to 2 | 1 | 21/05/2019 | PTT-x/DT9 General Assembly |
| EDN021 | 1 of 1 | 1 | 21/05/2019 | PTT-x/DT9 Label |
| EDN022 | 1 of 1 | 1 | 21/05/2019 | PTT-x/DT9 Projected Areas |
| EDN023 | 1 of 1 | 1 | 21/05/2019 | PTT-x/DT9 Cable Details |
| EDN030 | 1 to 2 | 1 | 30/05/2019 | Programming Lead/DTEX - General Assembly |
| EDN031 | 1 of 1 | 1 | 30/05/2019 | Programming Lead/DTEX - Label |
| EDN033 | 1 of 1 | 1 | 30/05/2019 | Programming Lead/DTEX - Cable Details |
| EDN101 | 1 of 1 | 3.1 | 11/06/2019 | DT Authentication Schematics |
| EDN102 | 1 to 4 | 3.1 | 02/01/2019 | DT Authentication PCB (Artwork) |
| EDN105 | 1 to 15 | 4.0 | 16/01/2019 | DT Main Board (UHF) |
| EDN106 | 1 of 1 | 3.04 | 31/12/2018 | DT OLED PCB Schematics |
| EDN107 | 1 of 1 | 3.04 | 31/12/2018 | DT_OLED_BOM |
| EDN108 | 1 to 8 | 3.1 | 31/12/2018 | DT OLED Board |
| EDN109 | 1 of 1 | 1.1 | 31/12/2018 | DT Keypad board Schematics |
| EDN110 | 1 of 1 | 1.1 | 31/12/2018 | DT Keypad BoM |
| EDN111 | 1 to 7 | 2.1 | 31/12/2018 | DT Keypad board |
| EDN112 | 1 of 1 | 1.0 | 31/12/2018 | DT Accessory Flexi PCB Schematics |
| EDN113 | 1 to 7 | 3.1 | 31/12/2018 | DT Accessory Flex |
| EDN114 | 1 of 1 | 1.1 | 31/12/2018 | DT Alarm Flexi PCB Schematics |
| EDN115 | 1 to 6 | 2.1 | 31/12/2018 | DT Alarm Flex |
| EDN118 | 1 of 1 | 1.1 | 31/12/2018 | DT PTT Flexi PCB Schematics |
| EDN119 | 1 to 6 | 3.1 | 31/12/2018 | DT PTT Flex |
| | | | | |



Issued 7 May 2020 Page 6 of 7

| Number | Sheet | Issue | Date | Description |
|---------------------|--------|-------|------------|---|
| EDN120 | 1 to 4 | 1.2 | 13/06/2019 | DT Accessory Interface Specification |
| EDN121 | 1 of 1 | 2.1 | 31/01/2019 | CMPx50/DT Schematic |
| EDN122 | 1 of 1 | 1.0 | 10/08/2018 | CMPx50/DT_BOM |
| EDN123 | 1 to 7 | 2.0 | 09/01/2019 | CMPx50/DT PCB (Artwork) |
| EDN124 | 1 of 1 | 3.0 | 07/01/2019 | DT Authentication BOM |
| EDN128 | 1 of 1 | 2.0 | 21/03/2019 | DT USB Cable BOM |
| ATEX-CHP950-01 | 1 of 1 | 01 | 22/07/2011 | CHP950 General Assembly |
| ATEX-CHP950-02 | 1 of 1 | 01 | 30/11/2011 | CHP950 to PTT951 Connection Schematic |
| ATEX-CHP950-05 | 1 of 1 | 04 | 15/07/2019 | CHP950 Series Label |
| ATEX-CXR-950-01 *1 | 1 of 1 | 01 | 30/11/2011 | CXR General Assembly |
| ATEX-CXR-950-02 *1 | 1 of 1 | 01 | 30/112011 | CXRxx/950 to PTT951 Connection Schematic |
| Ex-CNB950E V2-03 *1 | 1 of 1 | 01 | 29/01/2014 | CNB950E V2 External Connections |
| Ex-CNB950E V2-05 *1 | 1 of 1 | 01 | 17/02/2015 | CNB950E V2 Inter-board Flexi Schematic |
| Ex-CNB950E V2-06 *1 | 1 of 1 | 01 | 17/02/2015 | CNB950E V2 Battery Pack Inter-board Flexi PCB |
| Ex-CNB950E V2-07 *1 | 1 of 1 | 01 | 17/02/2015 | CNB950E V2 Charging Flexi Schematic |
| Ex-CNB950E V2-08 *1 | 1 to 2 | 01 | 18/02/2015 | CNB950E V2 Battery Pack Charging Input Flexible PCB |
| Ex-CNB950E V2-16 *1 | 4 of 7 | 01 | 16/01/2015 | CNB950E V2 Battery Pack Charging PCB Layer Separations |
| Ex-CNB950E V2-18 *1 | 1 to 4 | 01 | 11/02/2014 | CNB950E V2 Assembly Separations |

These drawings are also associated and held with IECEx BAS 18.0094X Note 1: Revision 1.0 of this PCB is used for the PTT951-E/DT9 and Revision 2.0 of this PCB is used for the PTT951-C/DT9.

20 **Certificate History**

| Certificate No. | Date | Comments |
|-------------------------------|------------------|---|
| Baseefa18ATEX0152X | 14 February 2019 | The release of the prime certificate. The associated test and assessment against the requirements of BS EN IEC 60079-0:2018 and EN 60079-11:2011 is documented in Test Report No. GB/BAS/ExTR18.0295/00 Project Number 16/0533. |
| Baseefa18ATEX0152X Issue 1 | 25 April 2019 | This issue of the certificate incorporates previously issued primary certificate and permits the following changes: |
| | | Minor circuit changes that do not affect the original assessment |
| | | Minor Main PCB changes that do not affect the original assessment |
| | | • Minor mechanical changes that do not affect the original assessment |
| | | • Models DT882M, DT885M, DT982M, DT985M, DT882FF, DT885FF, DT982FF & DT985FF added. |
| | | These changes are documents in Test Report No. GB/BAS/ExTR18.0295/01, Project Number 19/0614. |



Issued 7 May 2020 Page 7 of 7

| Certificate No. | Date | Comments |
|-------------------------------|-------------------------|---|
| Baseefa18ATEX0152X Issue 2 | 15 July 2019 | This issue of the certificate incorporates previously issued primary certificate and permits the following changes: |
| | | • Introduction of the accessories listed on page 2 of this certificate. |
| | | These changes are documented in Test Report No.: |
| | | GB/BAS/ExTR18.0296/00, Project Number 16/0533 |
| | | • Introduction of the VHF radio variants listed on page 2 of this certificate. |
| | | These changes are documented in Test Report No.: |
| | | GB/BAS/ExTR19.0186/00, Project Number 19/0268 |
| Baseefa18ATEX0152X Issue 3 | 7 May 2020 | This issue of the certificate incorporates previously issued primary certificate and permits the following changes: |
| | | • To permit the addition of various models. |
| | | • Introduction of minor component changes to the UHF versions of the Handheld Radio Transceiver. |
| | | • Introduction of minor changes to the DT USB Cable PCB artwork. |
| | | • Permit the removal of encapsulation from some shielding cans on the VHF Main PCB. |
| | | Permit changes to the PTT951-C/DT9 Speaker Microphone |
| | | • Introduction of the EA12/DT9 PTT Accessory. |
| | | • Introduction of the Accessory Interface as a User connection facility. |
| | | • Correction to the drawing revision only of drawings EDN112 & EDN113. |
| | | These changes are documented in Test Report No.: |
| | | GB/BAS/ExTR20.0053/00 for project 19/0289 |
| For drawings applicable to | each issue, see origina | al of that issue. |

BAS-CERT-045 Issue